




# Pipe Flashing Systems



Technical Product Information

## Pipe Portal® Cover and Caps

For pipe penetrations from 3/8" to 12"



### PIPE LAYOUT REFERENCE CHART



CAP MODEL	A			B		
	C	D	E	C	D	E
N28	.375"	.75"	1"	1"	1.5"	2"
N21	1"	1.5"	2"	1"	1.5"	2"
N18	.375"	.75"	1"	.375"	.75"	1"



# Pipe Flashing Systems

Technical Product Information

## Pipe Portal® Systems Single & Multi Openings

P.O. NUMBER \_\_\_\_\_

CUSTOMER \_\_\_\_\_







PROJECT \_\_\_\_\_

LOCATION \_\_\_\_\_




ARCHITECT \_\_\_\_\_

### STANDARD CONSTRUCTION

- STANDARD RPS ROOF CURB
- 18 GAUGE GALVANIZED STEEL
- 1-1/2", 3LB. DENSITY FIBERGLASS INSULATION
- WOOD NAILER
- MOLDED ABS PLASTIC COVER
- MOLDED EPDM RUBBER CAP(S)
- STAINLESS STEEL CLAMP(S)

 <p><b>N62</b> CAP FOR USE WITH 2" to 6" PIPE</p> <p><b>N28</b> CAP FOR USE WITH 3/8" to 2" PIPE</p> <p>STAINLESS STEEL CLAMPS</p> <p>CURB COVER</p>	 <p>1 Opening O.D. = 12" x 12"</p>	 <p>2 Openings O.D. = 12" x 27-1/2"</p>	 <p>3 Openings O.D. = 12" x 43"</p>	 <p>4 Openings O.D. = 12" x 58-1/2"</p>	 <p>5 Openings O.D. = 12" x 74"</p>	CURB QTY.	PIPE PORTAL	
							STYLE	QTY.
<p><b>N62</b>- For one- 2" to 6" pipe . . . 13" x 13" I.D. reinforced ABS plastic cover . . . single nipped EPDM rubber cap . . . one large adjustable stainless steel clamp</p> <p><b>N18</b>- For four- 3" to 1" pipes . . .</p> <p><b>N21</b>- For four- 1" to 2" pipes . . .</p> <p><b>N28</b>- For two- 3/8" to 1" and two- 1" to 2" pipes . . . 13" x 13" I.D. reinforced ABS plastic cover . . . four nipped EPDM rubber cap . . . two pairs adjustable stainless steel clamps</p>							N62	
							N18	
							N21	
							N28	
							N62	
							N18	
							N21	
							N28	
							N62	
							N18	
							N21	
							N28	
							N62	
							N18	
							N21	
							N28	

### PROJECT REQUIREMENTS



\* INDICATE OVERALL HEIGHT BELOW- STD. OR OTHER

TOTAL CURBS (FROM ABOVE)	CURB STYLE	* OVERALL HEIGHT	"R" DIM.	TOTAL PIPE PORTALS (FROM ABOVE)				TAG
	RC-2A			N62				
				N18				
				N21				
				N28				
	RC-3A			N62				
				N18				
				N21				
				N28				
	RC-4A			N62				
				N18				
				N21				
				N28				



# Pipe Flashing Systems

Technical Product Information

## Special Pipe Portal® System Large Openings

P.O. NUMBER \_\_\_\_\_

CUSTOMER \_\_\_\_\_

PROJECT \_\_\_\_\_

LOCATION \_\_\_\_\_

ARCHITECT \_\_\_\_\_

### STANDARD CONSTRUCTION

- RPS ROOF CURB
- 18 GAUGE GALVANIZED STEEL
- WOOD NAILER
- 18 GAUGE GALVANIZED STEEL COVER
- NEOPRENE WRAP
- TWO STAINLESS STEEL CLAMPS

13" Diameter & Larger Pipe

Neoprene  
Cover


Clamps

6" Wide Neoprene Strip Glued at Lap- Clamped at Pipe & Collar


18 Ga. Galv. Sheet Metal Cover with Continuous Welded 3" Collar

RPS Roof Curb


SIZE CHART	
PIPE SIZE	ROOF CURB O.D.
14"	22"
16"	24"
18"	26"
20"	28"
22"	30"
24"	32"
26"	34"
28"	36"
30"	38"




RC-2A STYLE




RC-3A STYLE



RC-4A STYLE



RC-5A STYLE



RC-6A STYLE

### PROJECT REQUIREMENTS

QTY.	STYLE	ACTUAL DIMENSIONS		* OVERALL HEIGHT	"R" DIM.	PIPE SIZE	PITCH REQUIREMENTS		TAG
		O.D.	I.D.				LONG SIDE	SHORT SIDE	